


RECEIVED
CENTRAL FAX CENTER

JUL 24 2006

Amendments to the Claims:

1. (Previously Presented) A compound having the formula:



wherein:

R₁ represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and cyano;

R₂ represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, hydroxy, cycloalkyl, cycloalkyloxy, polyfluoroalkyl, polyfluoroalkoxy, halogen, amino, monoalkylamino, dialkylamino, cyano and a substituted or unsubstituted benzyloxy group;

R₃ represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, alkenyl, halogen, hydroxy, polyfluoroalkyl, polyfluoroalkoxy, formyl, carboxyl, alkylcarbonyl, alcoxycarbonyl, hydroxylalkylcarbonyl, amino, a substituted or unsubstituted monoalkylamino, dialkylamino, cyano, amido, alkoxyamido, acetylsulfonylamino, ureido, carboxamide, sulfonamide, a substituted sulfonamide, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylsulfonic acid, and -O(CH₂)_nC(=O)-R₇;

R₄ represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and alkoxy;

R₅ represents a radical selected from the group consisting of an alkyl (C₁-C₆) group, cycloalkyl, and cycloalkylalkyl;

R₆ represents substituted or unsubstituted aryl group;

R₇ represents a radical selected from the group consisting of dialkylamino, a substituted or unsubstituted arylamino, and a substituted or unsubstituted aryl group,

said monoalkylamino substituents being one or more radical(s) independently selected from the group consisting of cycloalkyl, hydroxy and alkoxy;

said arylamino substituents being one or more radical(s) independently selected from an alkyl group and an alkoxycarbonyl;

said sulfonamide substituents being one or more radical(s) independently selected from the group consisting of alkenyl, cycloalkyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, carboxyl, alkylcarbonyl, alkoxycarbonyl, carboxamide, and a substituted or unsubstituted aryl group;

said alkyl radical substituents and said alkoxy group substituents being one or more radical(s) independently selected from the group consisting of alkenyl, amino, monoalkylamino, dialkylamino, alkoxy, cycloalkyl, hydroxy, carboxyl, halogen, cyano, polyfluoroalkyl, polyfluoroalkoxy, sulfonamide, carboxamide, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl, mercapto, and a substituted or unsubstituted aryl group;


said benzyloxy group substituents being one or more radical(s) independently selected from the group consisting of alkyl, alkoxy, polyfluoroalkyl, polyfluoroalkoxy, hydroxy, carboxyl, alkoxycarbonyl, halogen, cyano, alkylsulfonyl, and phenyl;

said aryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, acetylenyl, alkoxy, hydroxy, halogen, polyfluoroalkyl,

polyfluoroalkoxy, cyano, amino, monoalkylamino, dialkylamino, aminoalkyl, alkoxyalkoxy, amido, amidoalkyl, carboxyl, alkylsulfonyl, alkylcarbonyl, alkoxy carbonyl and mercapto; and pharmaceutically acceptable salts thereof;

with the proviso that said formula does not include the compounds selected from the group consisting of 5-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide and 5-hydroxy-2-phenyl-benzofuran-3-carboxylic acid methylamide.

2. (Previously Presented) A compound having the formula:



wherein:

R₁ represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and cyano;

R₂ represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, hydroxy, cycloalkyl, cycloalkyloxy, polyfluoroalkyl, polyfluoroalkoxy, halogen, amino, monoalkylamino, dialkylamino, cyano and a substituted or unsubstituted benzyloxy group;

R_{3a} represents a radical selected from the group consisting of a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, alkenyl, halogen, hydroxy, polyfluoroalkyl, polyfluoroalkoxy, formyl, carboxyl, alkylcarbonyl, alkoxy carbonyl, hydroxylalkylcarbonyl, amino, a substituted or unsubstituted monoalkylamino, dialkylamino,

cyano, amido, alkoxyamido, acetylsulfonylamino, ureido, carboxamide, sulfonamide, a substituted sulfonamide, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylsulfonic acid, and $-O(CH_2)-C(=O)-R_7;$

R_4 represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and alkoxy;

R_5 represents a radical selected from the group consisting of an alkyl (C_1-C_6) group, cycloalkyl, and cycloalkylalkyl;

R_6 represents a substituted or unsubstituted aryl group;

R_7 represents a radical selected from the group consisting of dialkylamino, a substituted or unsubstituted arylamino, and a substituted or unsubstituted aryl group,

said monoalkylamino substituents being one or more radical(s) independently selected from the group consisting of cycloalkyl, hydroxy and alkoxy;

said arylamino substituents being one or more radical(s) independently selected from an alkyl group and an alkoxy carbonyl;

said sulfonamide substituents being one or more radical(s) independently selected from the group consisting of alkenyl, cycloalkyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, carboxyl, alkylcarbonyl, alkoxy carbonyl, carboxamide and a substituted or unsubstituted aryl group;


said alkyl radical substituents and said alkoxy group substituents being one or more radical(s) independently selected from the group consisting of alkenyl, amino, monoalkylamino, dialkylamino, alkoxy, cycloalkyl, hydroxy, carboxyl, halogen, cyano, polyfluoroalkyl, polyfluoroalkoxy, sulfonamide, carboxamide, alkylsulfonyl, alkylcarbonyl, alkoxy carbonyl, mercapto, and a substituted or unsubstituted aryl group;

said benzyloxy group substituents being one or more radical(s) independently selected from the group consisting of

alkyl, alkoxy, polyfluoroalkyl, polyfluoroalkoxy, hydroxy, carboxyl, alkoxycarbonyl, halogen, cyano, alkylsulfonyl, and phenyl;

said aryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, acetylenyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, cyano, amino, monoalkylamino, dialkylamino, aminoalkyl, alkoxyalkoxy, amido, amidoalkyl, carboxyl, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl and mercapto; and pharmaceutically acceptable salts thereof.

3. (Previously Presented) A compound having the formula:



wherein:

R₁ represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and cyano;

R₂ represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, hydroxy, cycloalkyl, cycloalkyloxy, polyfluoroalkyl, polyfluoroalkoxy, halogen, amino, monoalkylamino, dialkylamino, cyano and a substituted or unsubstituted benzyloxy group;

R₃ represents a radical selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl radical, a substituted or unsubstituted alkoxy group, alkenyl, halogen,

hydroxy, polyfluoroalkyl, polyfluoroalkoxy, formyl, carboxyl, alkylcarbonyl, alkoxy carbonyl, hydroxylalkylcarbonyl, amino, a substituted or unsubstituted monoalkylamino, dialkylamino, cyano, amido, alkoxyamido, acetylsulfonylamino, ureido, carboxamide, sulfonamide, a substituted sulfonamide, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylsulfonic acid and $-O(CH_2)-C(=O)-R_7$;

R_4 represents a radical selected from the group consisting of hydrogen, alkyl, halogen, and alkoxy;

R_5 represents a radical selected from the group consisting of an alkyl (C_1-C_6) group, cycloalkyl, and cycloalkylalkyl;

R_{6a} represents a substituted aryl group;

R_7 represents a radical selected from the group consisting of dialkylamino, a substituted or unsubstituted arylamino, and a substituted or unsubstituted aryl group,

said monoalkylamino substituents being one or more radical(s) independently selected from the group consisting of cycloalkyl, hydroxy and alkoxy;

said arylamino substituents being one or more radical(s) independently selected from an alkyl group and an alkoxy carbonyl;

said sulfonamide substituents being one or more radical(s) independently selected from the group consisting of alkenyl, cycloalkyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, carboxyl, alkylcarbonyl, alkoxy carbonyl, carboxamide and a substituted or unsubstituted aryl group;


said alkyl radical substituents and said alkoxy group substituents being one or more radical(s) independently selected from the group consisting of alkenyl, amino, monoalkylamino, dialkylamino, alkoxy, cycloalkyl, hydroxy, carboxyl, halogen, cyano, polyfluoroalkyl, polyfluoroalkoxy, sulfonamide,

carboxamide, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl, mercapto, and a substituted or unsubstituted aryl group; said benzyloxy group substituents being one or more radical(s) independently selected from the group consisting of alkyl, alkoxy, polyfluoroalkyl, polyfluoroalkoxy, hydroxy, carboxyl, alkoxycarbonyl, halogen, cyano, alkylsulfonyl, and phenyl;

said aryl group substituents being one or more radical(s) independently selected from the group consisting of alkyl, acetylenyl, alkoxy, hydroxy, halogen, polyfluoroalkyl, polyfluoroalkoxy, cyano, amino, monoalkylamino, dialkylamino, aminoalkyl, alkoxyalkoxy, amido, amidoalkyl, carboxyl, alkylsulfonyl, alkylcarbonyl, alkoxycarbonyl and mercapto; and pharmaceutically acceptable salts thereof.

4. (Original) The compound according to claim 1, wherein R₅ is methyl.


5. (Original) The compound according to claim 1, having the formula:



Ic

wherein R₁, R₃ and R₄ are as defined previously and Alk is an alkyl group; and pharmaceutically acceptable salts thereof.

6. (Previously Presented) A compound having the formula:



wherein:

R₁ represents a radical selected from the group consisting of hydrogen, methyl, and chloro;

R₂ represents a radical selected from the group consisting of hydrogen, methyl, ethyl, isopropyl, t-butyl, cyclopropyl, hydroxy, hydroxymethyl, methoxymethyl, methoxy, trifluoromethoxy, difluoromethoxy, cyclopropylmethoxy, carboxymethoxy, cyanomethoxy, cyano-methyl-methoxy, 1-hydroxymethyl-cyclopropylmethoxy, carbamoylmethoxy, methylcarbamoylmethoxy, diethylcarbamoylmethoxy, (4-ethoxycarbonyl-phenylcarbamoyl)-methoxy, tert-butoxycarbonylmethoxy, ethoxy, 2-methoxy-ethoxy, 2-chloro-ethoxy, 2-carboxyethoxy, 2,2,2-trifluoroethoxy, 1-(4-fluoro-phenyl)-ethoxy, 2-(4-fluoro-phenyl)-2-oxo-ethoxy, 2-(4-methoxy-phenyl)-2-oxo-ethoxy, propoxy, isopropoxy, 2-oxo-propoxy, 2-hydroxy-propoxy, 3-hydroxy-propoxy, 2-hydroxy-2-methyl-propoxy, 3-bromo-propoxy, 3-ethoxy-propoxy, butoxy, 2-hydroxy-2-methyl-butoxy, cyclopentyloxy, allyloxy, cyano, chloro, fluoro, methanesulfonic acid, benzyloxy, 2-phenylbenzyloxy, 2-difluoromethoxy-benzyloxy, 3-methoxy-benzyloxy, 3-methoxycarbonyl-benzyloxy, 3-carboxy-benzyloxy, 3-cyano-benzyloxy, 4-methoxy-benzyloxy, 4-fluoro-benzyloxy, 4-cyano-benzyloxy, 4-methoxycarbonyl-benzyloxy, 4-carboxy-benzyloxy, 4-carboxy-3-hydroxy-benzyloxy, 4-methanesulfonyl-benzyloxy, 3,4-difluoro-benzyloxy and 3,5-dimethoxy-benzyloxy;

R₃ represents a radical selected from the group consisting of hydrogen, methyl, methoxy, hydroxy, hydroxymethyl, 1-hydroxyethyl, 1-hydroxy-2-methyl-propyl, 1-hydroxy-1-methyl-ethyl, formyl, ureido, vinyl, bromo, chloro, cyano, acetyl, 2-hydroxy-acetyl, carboxy, carboxylic acid amide, amino, methylamino, ethylamino, diethylamino, isopropylamino, tert-dimethylamino, ethylamino, diethylamino, isopropylamino, tert-butylamino, ethyl-methyl-amino, 2-methoxy-ethylamino, cyclopropylmethyl-amino, 2,3-dihydroxy-propylamino, 1-methylamino-ethyl, dimethylaminomethyl, 1-amino-1-methyl-ethyl, 2-amino-1-hydroxy-1-methyl-ethyl, acetylamino, 1-acetylamino-1-methyl-ethyl, (2-methoxy-ethyl)-methyl-amino, ethyl-(2-methoxy-acetyl)-amino, 3-chloro-propane-1-sulfonylamino, methanesulfonylamino, ethyl-methanesulfonyl-amino, isopropyl-methanesulfonyl-amino, isobutyl-methanesulfonyl-amino, cyclobutyl-methanesulfonyl-amino, cyclopentyl-methanesulfonyl-amino, cyclopropylmethyl-methanesulfonyl-amino, (2-hydroxy-ethyl)-methanesulfonyl-amino, (2-hydroxy-propyl)-methanesulfonyl-amino, (2-fluoro-ethyl)-methanesulfonyl-amino, (1-2-(4-fluoro-phenyl)-2-hydroxy-ethyl)-methanesulfonyl-amino, (4-hydroxymethyl-cyclopropylmethyl)-methanesulfonyl-amino, (4-carboxy-benzyl)-methanesulfonyl-amino, allyl-methanesulfonyl-amino, acetyl-methanesulfonyl-amino, benzyl-methanesulfonyl-amino, carboxymethyl-methanesulfonyl-amino, methanesulfonylamino-methyl, 1-methanesulfonylamino-1-methyl-ethyl, methanesulfonyl-methyl-amino, 1-(methanesulfonyl-methyl-amino)-ethyl, methanesulfonyl-propyl-amino, methanesulfonyl-(2-methoxy-ethyl)-amino, methanesulfonyl-(2,2,2-trifluoro-ethyl)-amino, methanesulfonyl-(2-oxo-propyl)-amino, methanesulfonyl-(4-methoxy-trifluoromethoxy-ethyl)-amino, methanesulfonyl-(4-methoxycarbonyl-benzyl)-amino, methanesulfonyl-methoxymethyl-amino, methanesulfonyl-methylcarbamoylmethyl-amino, (methanesulfonyl-methyl-amino)-

methyl, sulfamoyl, methylsulfamoyl, dimethylsulfamoyl, ethylsulfamoyl, cyclopropylsulfamoyl, cyclobutylsulfamoyl, 3-methanesulfonyl-phenyl, 4-methanesulfonyl-phenyl, and benzyloxy;

R₄ represents a radical selected from the group consisting of hydrogen and methyl;

R₅ represents a radical selected from the group consisting of methyl, ethyl, isopropyl, and cyclopropyl; and

R₆ represents a radical selected from the group consisting of phenyl, 4-methyl-phenyl, 4-ethyl-phenyl, 4-methoxy-phenyl, 4-hydroxy-phenyl, 4-bromo-phenyl, 2-chloro-phenyl, 2-fluoro-phenyl, 4-fluoro-phenyl, 2,4-difluoro-phenyl, 3,4-difluoro-phenyl, 4-bromo-3-fluoro-phenyl, 3-chloro-4-fluoro-phenyl, 4-phenyl, 4-chloro-3-fluoro-phenyl, 2,4,5-trifluoro-phenyl, 3-fluoro-4-methyl-phenyl, 4-fluoro-3-methyl-phenyl, 4-fluoro-3-hydroxy-phenyl, 2-ethoxy-4-fluoro-phenyl, 3-trifluoromethyl-phenyl, 4-trifluoromethyl-phenyl, 4-cyano-phenyl, 4-amino-phenyl and 4-(acetylamino-methyl)-phenyl;

with the proviso that said formula does not include the compounds selected from the group consisting of 5-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide and 5-hydroxy-2-phenyl-benzofuran-3-carboxylic acid methylamide.

7. (Previously Presented) The compound according to claim 1, selected from the group consisting of:

2-phenyl-5-trifluoromethoxy-benzofuran-3-carboxylic acid methylamide;

2-(3,4-difluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

2-[4-(acetylamino-methyl)-phenyl]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

5-difluoromethoxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(2-methoxy-ethylamino)-benzofuran-3-carboxylic acid methylamide;
5-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-methyl-2-(4-fluoro-phenyl)benzofuran-3-carboxylic acid methylamide;
2-phenyl-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-bromo-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-6-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-acetylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methylamino-benzofuran-3-carboxylic acid methylamide;
6-dimethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
6-ethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-diethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

5-methoxy-4-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-cyano-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(4-methoxy-benzyl)-
amino]-5-(4-methoxy-benzyloxy)-benzofuran-3-carboxylic acid
methylamide;
5-ethoxy-6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-oxo-
propyl)-amino]-benzofuran-3-carboxylic acid methylamide;
5-ethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-2-hydroxy-benzoic
acid;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-cyclopropyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-
carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-
methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
5-(biphenyl-2-ylmethoxy)-2-phenyl-benzofuran-3-carboxylic acid
methylamide;

5-methoxy-2-(4-methoxy-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-methoxy-2-(3-trifluoromethyl-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-methoxy-2-(4-trifluoromethyl-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-ethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(2-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-isopropoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-butoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-phenyl-5-propoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-2-(2,4,5-trifluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-methoxy-7-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(2-chloro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(3-fluoro-4-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-bromo-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-3-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-7-methyl-benzofuran-3-carboxylic acid methylamide;

5-chloro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-tert-butyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-chloro-2-p-tolyl-benzofuran-3-carboxylic acid methylamide;
2-(3-chloro-4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-chloro-3-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxymethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-7-methyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-methyl-benzofuran-3-carboxylic acid methylamide;
5-fluoro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-ethyl-phenyl)-5-fluoro-benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-isopropyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-bromo-3-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(2,4-difluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-bromo-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
5,6-dimethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-[2-(4-fluoro-phenyl)-6-methyl-3-methylcarbamoyl-benzofuran-5-yloxy]-propionic acid;

6-acetyl-amino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-amino-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5,6-dimethoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-bromo-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-3-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-cyano-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(2,3-dihydroxy-propylamino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-isopropylamino-benzofuran-3-carboxylic acid methylamide;
6-(cyclopropylmethyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
5-hydroxymethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methyl-amino]-benzofuran-3-carboxylic acid methylamide;
6-amino-5-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-chloro-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-cyano-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

5-methoxy-2-phenyl-benzofuran-3-carboxylic acid ethylamide;
5-(3-chloro-propane-1-sulfonylamino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-ureido-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(isopropyl-methanesulfonyl-
amino)-benzofuran-3-carboxylic acid methylamide;
6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methylsulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-dimethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-
3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3,6-dicarboxylic
acid 6-amide 3-methylamide;
6-tert-butylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-sulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-cyclobutylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
6-cyclopropylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
6-ethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-vinyl-benzofuran-3-carboxylic
acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methoxy-benzofuran-3-
carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-formyl-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonylamino-methyl)-benzofuran-3-carboxylic acid methylamide;
6-(cyclopentyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(3-methanesulfonyl-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(4-methanesulfonyl-phenyl)-benzofuran-3-carboxylic acid methylamide;
6-benzyloxy-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;
5,6-bis-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl]-piperazine-1-carboxylic acid amide;
2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-carboxylic acid;
{[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl]-methanesulfonyl-amino}-acetic acid;
6-(cyclobutyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5,6-dihydroxy-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-methoxy-ethyl)-amino]-benzofuran-3-carboxylic acid methylamide;
6-benzyloxy-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid isopropylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid cyclopropylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid ethylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-hydroxy-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(isopropyl-methanesulfonyl-amino)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-ethyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-hydroxymethyl-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-dimethylaminomethyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-2-methyl-propyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxy-ethyl)-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-isopropoxy-6-[(methanesulfonyl-methyl-amino)-methyl]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
3-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-yloxy-methyl]-benzoic acid methyl ester;
4-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-yloxy-methyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-yloxy-methyl]-benzoic acid;
6-acetyl-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-cyano-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
4-(([2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl]-methanesulfonyl-amino)-methyl)-benzoic acid methyl ester;
4-(([2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl]-methanesulfonyl-amino)-methyl)-benzoic acid;
6-acetyl-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(methanesulfonyl-(4-methoxy-benzyl)-amino)-methyl]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-5-allyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;

6-(acetyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-
benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-hydroxy-
benzofuran-3-carboxylic acid methylamide;
5-difluoromethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-
amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methyl-
benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-5-methyl-benzofuran-3-carboxylic
acid methylamide;
2-(4-fluoro-phenyl)-6-[1-(methanesulfonyl-methyl-amino)-ethyl]-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-(1-methylamino-ethyl)-
benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl
ester;
2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl
ester;
6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2,2,2-trifluoro-ethyl)-
amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-
methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-trifluoromethoxy-
ethyl)-amino]-5-methoxy-benzofuran-3-carboxylic acid
methylamide;

2-(4-fluoro-phenyl)-6-[(2-(4-fluoro-phenyl)-2-hydroxy-ethyl)-methanesulfonyl-amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(3-methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-hydroxy-6-(isobutyl-methanesulfonyl-amino)-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(4-methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;

6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-(methanesulfonyl-methylcarbamoylmethyl-amino)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

5-fluoro-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;

6-(ethyl-methanesulfonyl-amino)-5-fluoro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;

5-ethyl-2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxyethyl)-amino]-benzofuran-3-carboxylic acid methylamide;

5-ethyl-6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-(methanesulfonyl-propyl-amino)-5-propoxy-benzofuran-3-carboxylic acid methylamide;

5-ethyl-2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-benzofuran-3-carboxylic acid methylamide;

6-acetyl-5-ethyl-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;

4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;

methanesulfonic acid 4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-yl ester;

5-(3,4-difluoro-benzyl oxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(2-difluoromethoxy-benzyl oxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-propoxy-benzofuran-3-carboxylic acid methylamide;
5-allyloxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-cyclopropylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(3,5-dimethoxy-benzyl oxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(4-methanesulfonyl-benzyl oxy)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-[methanesulfonyl-(2-oxo-propyl)-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-[2-(4-methoxy-phenyl)-2-oxo-ethoxy]-benzofuran-3-carboxylic acid methylamide;
5-(3-cyano-benzyl oxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(4-cyano-benzyl oxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
4-{2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxy]-acetyl amino}-benzoic acid ethyl ester;

2-(4-fluoro-phenyl)-5-[2-(4-fluoro-phenyl)-2-oxo-ethoxy]-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(benzyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-(ethyl-methyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;
5-(3-bromo-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-allyloxy-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-(3-ethoxy-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(2-oxo-propoxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(2-hydroxy-propoxy)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(2-amino-1-hydroxy-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxy]-acetic acid tert-butyl ester;
6-(1-amino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-(1-acetylamino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxy]-acetic acid;
2-(4-fluoro-phenyl)-6-(1-methanesulfonylamino-1-methyl-ethyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-dimethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-cyanomethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(2-hydroxy-2-methyl-propoxy)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-diethylcarbamoylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-cyclopropyl-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-methylcarbamoylmethoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(1-hydroxymethyl-cyclopropylmethoxy)-6-[(1-hydroxymethyl-cyclopropylmethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
6-diethylamino-5-ethoxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-carbamoylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-[ethyl-(2-methoxy-acetyl)-amino]-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(2-hydroxy-acetyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

5-cyclopropyl-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-hydroxy-6-[(2-hydroxy-propyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-5-propoxy-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-propoxy-benzofuran-3-carboxylic acid methylamide; 5-(4-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide; 5-(3-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-{[2-(4-fluoro-phenyl)-2-hydroxy-ethyl]-methanesulfonyl-amino}-5-hydroxy-benzofuran-3-carboxylic acid methylamide; and pharmaceutically acceptable salts thereof.

8. (Previously Presented) The compound according to claim 1, selected from the group consisting of:
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methyl-amino]-benzofuran-3-carboxylic acid methylamide; 5-cyclopropyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; 5-ethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-5-methoxy-benzofuran-3-carboxylic acid

methylamide; 5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; and pharmaceutically acceptable salts thereof.

9. (Original) The compound according to claim 1 in the form of a pharmaceutically acceptable salt.

10. (Original) The compound according to claim 9, wherein the pharmaceutically acceptable salt is selected from hydrochloric, sulfuric, acetic, lactic, sodium, potassium, piperidine, or ammonium.

11. (Original) The compound according to claim 10, wherein in the pharmaceutically acceptable salt is a potassium salt or a sodium salt.

12. (Currently Amended) The compound according to claim 9 selected from the group consisting of:
2-(4-fluoro-phenyl)-5-isopropoxy- 6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide, potassium salt;
2-(4-fluoro-phenyl)-5-isopropoxy- 6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide, sodium salt; 18544
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-3-carboxylic acid methylamide, potassium salt; 18669
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-3-carboxylic acid methylamide, sodium salt; 18669
2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-benzofuran-3-carboxylic acid methylamide, potassium salt; 18814
2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-benzofuran-3-carboxylic acid methylamide, sodium salt; 18814

2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid isopropylamide, potassium salt;

19053

2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid isopropylamide, sodium salt; 19053

2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-

benzofuran-3-carboxylic acid ethylamide, potassium salt; and

2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-

benzofuran-3-carboxylic acid ethylamide, sodium salt.

13. (Original) A composition for ~~prophylaxis or treatment~~ of viral infections, said composition comprising a compound as claimed in claim 1, in an amount effective to attenuate viral infectivity, and a pharmaceutically acceptable carrier medium.

14. (Previously Presented) The composition according to claim 13, wherein said compound is selected from the group consisting of:

2-phenyl-5-trifluoromethoxy-benzofuran-3-carboxylic acid methylamide;

2-(3,4-difluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

2-[4-(acetylamino-methyl)-phenyl]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

5-difluoromethoxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-isopropoxy-6-(2-methoxy-ethylamino)-benzofuran-3-carboxylic acid methylamide;

5-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;

5-methyl-2-(4-fluoro-phenyl)benzofuran-3-carboxylic acid methylamide;
2-phenyl-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-bromo-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-6-methyl-2-phenyl-benzofuranbenzofuran-3-carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-acetylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methylamino-benzofuran-3-carboxylic acid methylamide;
6-dimethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
6-ethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-diethylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-4-methyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-cyano-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-[methanesulfonyl-(4-methoxy-benzyl)-amino]-5-(4-methoxy-benzyl)oxo-benzofuran-3-carboxylic acid methylamide;

5-ethoxy-6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-oxo-propyl)-amino]-benzofuran-3-carboxylic acid methylamide;

5-ethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;

4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxy]methyl]-2-hydroxy-benzoic acid;

2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;

5-cyclopropyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;

5-ethyl-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;

5-ethyl-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;

5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;

5-(biphenyl-2-ylmethoxy)-2-phenyl-benzofuran-3-carboxylic acid methylamide;

5-methoxy-2-(4-methoxy-phenyl)-benzofuran-3-carboxylic acid methylamide;

5-methoxy-2-(3-trifluoromethyl-phenyl)-benzofuran-3-carboxylic acid methylamide;

5-methoxy-2-(4-trifluoromethyl-phenyl)-benzofuran-3-carboxylic acid methylamide;

5-ethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(2-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
5-isopropoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-butoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-phenyl-5-propoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-2-(2,4,5-trifluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
5-methoxy-7-methyl-2-phenyl-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-5-(2,2,2-trifluoro-ethoxy)-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid
methylamide;
2-(2-chloro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
6-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(3-fluoro-4-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2-(4-bromo-phenyl)-5-methoxy-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-3-methyl-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-7-methyl-benzofuran-3-carboxylic
acid methylamide;
5-chloro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid
methylamide;
5-tert-butyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-chloro-2-p-tolyl-benzofuran-3-carboxylic acid methylamide;
2-(3-chloro-4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic
acid methylamide;

2-(4-chloro-3-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxymethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-7-methyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-methyl-benzofuran-3-carboxylic acid methylamide;
5-fluoro-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-ethyl-phenyl)-5-fluoro-benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
5-isopropyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-bromo-3-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide; 2-(2,4-difluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-bromo-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
5,6-dimethoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-[2-(4-fluoro-phenyl)-6-methyl-3-methylcarbamoyl-benzofuran-5-yloxy]-propionic acid;
6-acetylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-amino-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5,6-dimethoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-bromo-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-3-hydroxy-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-cyano-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(2,3-dihydroxy-propylamino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-isopropylamino-benzofuran-3-carboxylic acid methylamide;
6-(cyclopropylmethyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
5-hydroxymethyl-2-phenyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methyl-amino]-benzofuran-3-carboxylic acid methylamide;
6-amino-5-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-chloro-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-cyano-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
5-methoxy-2-phenyl-benzofuran-3-carboxylic acid ethylamide;
6-(3-chloro-propane-1-sulfonylamino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-ureido-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(isopropyl-methanesulfonyl-amino)-benzofuran-3-carboxylic acid methylamide;

6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methylsulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-dimethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-
3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(propane-2-sulfonylamino)-
benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3,6-dicarboxylic
acid 6-amide 3-methylamide;
6-tert-butylamino-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-sulfamoyl-benzofuran-3-
carboxylic acid methylamide;
6-cyclobutylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
6-cyclopropylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-
benzofuran-3-carboxylic acid methylamide;
6-ethylsulfamoyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-vinyl-benzofuran-3-carboxylic
acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-formyl-5-isopropoxy-benzofuran-3-
carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonylamino-
methyl)-benzofuran-3-carboxylic acid methylamide;
6-(cyclopentyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-
isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-
5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-hydroxy-6-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(3-methanesulfonyl-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(4-methanesulfonyl-phenyl)-benzofuran-3-carboxylic acid methylamide;
6-benzyloxy-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-amino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;
5,6-bis-benzyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl]-piperazine-1-carboxylic acid amide;
2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-carboxylic acid;
{[2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl]-methanesulfonyl-amino}-acetic acid;
6-(cyclobutyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5,6-dihydroxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[methanesulfonyl-(2-methoxy-ethyl)-amino]-benzofuran-3-carboxylic acid methylamide;
6-benzyloxy-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid isopropylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid cyclopropylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid ethylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-hydroxy-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(isopropyl-methanesulfonyl-amino)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-ethyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-hydroxymethyl-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-dimethylaminomethyl-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-2-methyl-propyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxy-ethyl)-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-[(methanesulfonyl-methyl-amino)-methyl]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-amino]-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
3-{2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-yloxymethyl}-benzoic acid methyl ester;

4-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-yloxy-methyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-3-methylcarbamoyl-benzofuran-5-yloxy-methyl]-benzoic acid;
6-acetyl-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-cyano-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
4-((2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl)-methanesulfonyl-amino)-methyl)-benzoic acid methyl ester;
4-((2-(4-fluoro-phenyl)-5-isopropoxy-3-methylcarbamoyl-benzofuran-6-yl)-methanesulfonyl-amino)-methyl)-benzoic acid;
6-acetyl-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-isopropoxy-6-(methanesulfonyl-(4-methoxy-benzyl)-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(allyl-methanesulfonyl-amino)-5-allyloxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
6-(acetyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;
5-difluoromethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-5-methyl-benzofuran-3-carboxylic acid methylamide;

6-acetyl-2-(4-fluoro-phenyl)-5-methyl-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[1-(methanesulfonyl-methyl-amino)-ethyl]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-methoxy-6-(1-methylamino-ethyl)-benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl ester;
2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid methyl ester;
6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2,2,2-trifluoro-ethyl)-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
4-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
3-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxymethyl]-benzoic acid;
2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-trifluoromethoxy-ethyl)-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-{[2-(4-fluoro-phenyl)-2-hydroxy-ethyl]-methanesulfonyl-amino}-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(3-methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-(isobutyl-methanesulfonyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(4-methoxy-benzyloxy)-benzofuran-3-carboxylic acid methylamide;

6-(cyclopropylmethyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-
5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methylcarbamoylmethyl-
amino)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-fluoro-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-
3-carboxylic acid methylamide;
6-(ethyl-methanesulfonyl-amino)-5-fluoro-2-(4-fluoro-phenyl)-
benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-[methanesulfonyl-(2-methoxy-
ethyl)-amino]-benzofuran-3-carboxylic acid methylamide;
5-ethyl-6-[(2-fluoro-ethyl)-methanesulfonyl-amino]-2-(4-fluoro-
phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-propyl-amino)-5-propoxy-
benzofuran-3-carboxylic acid methylamide;
5-ethyl-2-(4-fluoro-phenyl)-6-(1-hydroxy-1-methyl-ethyl)-
benzofuran-3-carboxylic acid methylamide;
6-acetyl-5-ethyl-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic
acid methylamide;
4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-
3-carboxylic acid methylamide;
methanesulfonic acid 4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-
3-methylcarbamoyl-benzofuran-5-yl ester;
5-(3,4-difluoro-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
5-(2-difluoromethoxy-benzyloxy)-2-(4-fluoro-phenyl)-6-
(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid
methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-propoxy-
benzofuran-3-carboxylic acid methylamide;
5-allyloxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-
benzofuran-3-carboxylic acid methylamide;

5-cyclopropylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(3,5-dimethoxy-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(4-methanesulfonyl-benzyloxy)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-[methanesulfonyl-(2-oxo-propyl)-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-[2-(4-methoxy-phenyl)-2-oxo-ethoxy]-benzofuran-3-carboxylic acid methylamide;
5-(3-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(4-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
4-{2-[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxy]-acetylamino}-benzoic acid ethyl ester;
2-(4-fluoro-phenyl)-5-[2-(4-fluoro-phenyl)-2-oxo-ethoxy]-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(benzyl-methanesulfonyl-amino)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-(ethyl-methyl-amino)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-ethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-ethylamino-2-(4-fluoro-phenyl)-5-hydroxy-benzofuran-3-carboxylic acid methylamide;

5-(3-bromo-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-allyloxy-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-(3-ethoxy-propoxy)-6-ethylamino-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-(2-oxo-propoxy)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(2-hydroxy-propoxy)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-(2-amino-1-hydroxy-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
6-(1-amino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-isopropoxy-benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxy]-acetic acid tert-butyl ester;
6-(1-amino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-(1-acetylamino-1-methyl-ethyl)-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
[2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-3-methylcarbamoyl-benzofuran-5-yloxy]-acetic acid;
2-(4-fluoro-phenyl)-6-(1-methanesulfonylamino-1-methyl-ethyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
6-dimethylamino-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-cyanomethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
6-acetyl-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-5-(2-hydroxy-2-methyl-propoxy)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-diethylcarbamoylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-cyclopropyl-2-(4-fluoro-phenyl)-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-5-methylcarbamoylmethoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-(1-hydroxymethyl-cyclopropylmethoxy)-6-[(1-hydroxymethyl-cyclopropylmethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
6-diethylamino-5-ethoxy-2-(4-fluoro-phenyl)-benzofuran-3-carboxylic acid methylamide;
5-carbamoylmethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
4-chloro-6-[ethyl-(2-methoxy-acetyl)-amino]-2-(4-fluoro-phenyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(2-hydroxy-acetyl)-5-methoxy-benzofuran-3-carboxylic acid methylamide;
5-cyclopropyl-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-[(2-hydroxy-propyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-[(2-hydroxy-propyl)-methanesulfonyl-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-5-propoxy-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-5-hydroxy-6-(methanesulfonyl-methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide;

2-(4-fluoro-phenyl)-6-methanesulfonylamino-5-propoxy-benzofuran-3-carboxylic acid methylamide;
5-(4-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide;
5-(3-cyano-benzyloxy)-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methoxymethyl-amino)-benzofuran-3-carboxylic acid methylamide;
2-(4-fluoro-phenyl)-6-{[2-(4-fluoro-phenyl)-2-hydroxy-ethyl]-methanesulfonyl-amino}-5-hydroxy-benzofuran-3-carboxylic acid methylamide;
and pharmaceutically acceptable salts thereof.

15. (Previously Presented) The composition according to claim 13, wherein the compound is selected from the group consisting of 2-(4-fluoro-phenyl)-5-isopropoxy-6-methanesulfonylamino-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-5-isopropoxy-6-[(2-methoxy-ethyl)-methyl-amino]-benzofuran-3-carboxylic acid methylamide; 5-cyclopropyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; 5-ethoxy-2-(4-fluoro-phenyl)-6-(methanesulfonyl-methyl-amino)-benzofuran-3-carboxylic acid methylamide; 2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-5-methoxy-benzofuran-3-carboxylic acid methylamide; 5-ethyl-2-(4-fluoro-phenyl)-6-[(2-hydroxy-ethyl)-methanesulfonyl-amino]-benzofuran-3-carboxylic acid methylamide; and pharmaceutically acceptable salts thereof.

16. (Canceled)

17. (Original) A method for ~~prophylaxis or~~ treatment of hepatitis C infections and diseases associated with such

infections in a living host having said infections, said method comprising administering to said living host a therapeutically effective amount of a compound according to claim 1.

18. (Original) The method according to claim 17, wherein said living host is a mammal.

19. (Original) The method according to claim 17, wherein said living host is a human.

20. (Original) The method according to claim 19, wherein the compound is administered orally.

21. (Original) The method according to claim 20, wherein the compound is administered orally at a dose range of about 0.05 to about 100 mg/kg.

22. (Original) The method according to claim 17, wherein the compound is administered from 1 to 4 times daily.

23.-26. (Canceled)

27. (Original) A method for ~~prophylaxis or~~ treatment of hepatitis C infections and diseases associated with such infections in a living host having said infections, said method comprising administering to said living host a therapeutically effective amount of a compound selected from the group consisting of 5-methoxy-2-phenyl-benzofuran-3-carboxylic acid methylamide and 5-hydroxy-2-phenyl-benzofuran-3-carboxylic acid methylamide.